

Spray Sticks

Model #	Part #	Description	Bag Qty	Box Qty	Box Wt	Stock Code	List Price
Chapin Spray Sticks							
STP	12500421	Green, "P" Spray Tube Stake Use with 0.128" OD x 0.076" ID tubing	100	3000	48.0		\$0.64
STN	12500422	Blue, "N" Spray Tube Stake Use with 0.187" OD x 0.125" ID tubing	100	3000	48.0		\$0.67
Chapin Spray Sticks and Tubes for Pots							
ST-P-12	12781312	with 12" 128 x 076-PE Tubing	50*	2000	48.0	MTO	\$0.65
ST-P-18	12781318	with 18" 128 x 076-PE Tubing	50*	1500	41.0	MTO	\$0.80
ST-P-24	12781324	with 24" 128 x 076-PE Tubing	50*	1500	47.0	MTO	\$0.82
ST-P-30	12781330	with 30" 128 x 076-PE Tubing	50*	1500	50.0	MTO	\$0.86
ST-P-36	12781336	with 36" 128 x 076-PE Tubing	50*	1500	56.0	MTO	\$0.92
ST-P-42	12781342	with 48" 128 x 076-PE Tubing	50*	1500	37.0	MTO	\$0.99
Chapin Spray Sticks and Tubes for Nursery Containers							
ST-N-18	12783418	with 18" 187 x 125-PE Tubing	50*	1500	41.0	MTO	\$0.80
ST-N-24	12783424	with 24" 187 x 125-PE Tubing	50*	1500	47.0	MTO	\$0.82
ST-N-30	12783430	with 30" 187 x 125-PE Tubing	50*	1500	50.0	MTO	\$0.86
ST-N-36	12783436	with 36" 187 x 125-PE Tubing	50*	1000	56.0	MTO	\$0.92
ST-N-48	12783448	with 48" 187 x 125-PE Tubing	50*	1000	36.0	MTO	\$1.02
ST-N-72	12783472	with 72" 187 x 125-PE Tubing	50*	500	38.0	MTO	\$1.13

Note: Minimum quantity of 100; must be ordered in increments of 50.

Model #	Part #	Description	Bag Qty	Box Qty	Box Wt	List Price
Aqua Spray Sticks						
ASBLK-6	12501250	Black, High Flow, Down 160 Degrees, 15.0 GPH	100	1000	13	\$0.47
ASGRN-6	12501251	Green, Medium Flow, Down 160 Degrees, 11.4 GPH	100	1000	13	\$0.47
ASAVCDO-6	12501252	Avocado, Low Flow, Down 160 Degrees, 6.6 GPH	100	1000	13	\$0.47
ASTERCTA-6	12501253	Terra Cotta, Mini Flow, Down 160 Degrees, 4.2 GPH	100	1000	13	\$0.47
ASBRN-6	12501254	Brown, Low Flow, Flat 90 Degrees, 6.6 GPH	100	1000	13	\$0.47
ASGRY-6	12501255	Gray, Mini Flow, Flat 90 Degrees, 3.0 GPH	100	1000	13	\$0.47
ASBLU-6	12501256	Blue, Medium Flow, Flat 360 Degrees, 10.8 GPH	100	1000	13	\$0.47

Note: Uses .187 x .125 PE tubing. All flow rates should be specified for 20 psi.



EMISSION DEVICES

